SIGMACOVER[™] 380

Multipurpose epoxy primer/coating - proven performance

- Versatile primer/coating for protecting boottop, interiors, superstructures, topsides, underwater hulls and water ballast tanks
- Suitable for application at new-build, in dry dock and for onboard maintenance
- Easy to apply improved productivity
- All-year-round application
- IMO PSPC type-approved as a water ballast tank coating



SIGMACOVER[™] 380

Multipurpose epoxy primer/coating - proven performance

A unique, durable and economical anticorrosive solution

The *SIGMACOVER* 380 product has outstanding anticorrosive properties, can be overcoated by a wide range of topcoats and is suitable for use on many vessel areas. It has an extensive, proven track record for boottop, interiors, superstructures, topsides, underwater hulls and water ballast tanks.

As an established coating, shipyard experience and vessel surveys have confirmed that the *SIGMACOVER* 380 product leads competitor products in terms of ease of use and overcoating, extended pot life, durability and impact resistance. In addition, the coating is resistant to the effects of properly controlled cathodic protection.

Versatile application – ideal protection for water ballast tanks

SIGMACOVER 380 is a multipurpose anticorrosive epoxy primer/coating specifically designed to meet yard demands for a PSPC-approved product to protect key areas such as water ballast tanks.

The system was originally developed for use in the demanding environment of water ballast tanks where the humid conditions promote and accelerate corrosion. Water ballast tanks constitute the single largest surface area on the vessel. Therefore, it is imperative that the applied coating systems satisfy the requirements of the shipyard and also give the performance in service that ship owners demand.

The *SIGMACOVER* 380 product is extremely adaptable and suitable for use on various surfaces including properly prepared shop primers or on suitably prepared bare steel. Even in the demanding environment of new shipbuilding locations, it is a tried and trusted solution.

To increase the value of the coating for customers, a low-temperature version is also available to ensure application throughout the year.

Independent approval

The SIGMACOVER 380 product has IMO PSPC-type approvals with all major class societies, such as ABS, BV, CCS, CLASS NK, DNV, Germanischer Lloyd, Lloyd's Register, and RINA.

Features

- Versatile primer coating with excellent anticorrosive properties
- Ease of application
- Extended pot life
- Easily overcoatable
- Impact resistant
- All-year-round application
- Suitable for application at new-build, in dry dock and for onboard maintenance

Benefits

- Economical protection improved profitability
- Ease of application less time, more productivity
- Multipurpose usage reduced number of products
- Low-temperature version allows application throughout the year
- Can be overcoated with a wide range of topcoats
- Reliable and proven performance on a wide range of vessel types

For ease of use, durability and outstanding anticorrosive protection – choose the multipurpose *SIGMACOVER* 380 epoxy primer/coating.

PPG Protective & Marine Coatings | P.O. Box 58034 | 1040 HA Amsterdam | The Netherlands | Tel +31 (0)20 407 5050 | Fax +31 (0)20 407 5059 Email pmc@ppg.com | Website ppgpmc.com | 962805-GLOB | Created April 2014

No rights can be derived from the content of this publication. Unless otherwise agreed upon in writing, all products and technical advice are subject to our terms of sale, available on our website ppgpmc.com. All rights reserved. The *PPG logo* is a registered trademark and *Bringing innovation to the surface*. is a trademark of PPG Industries Ohio, Inc. *SIGMACOVER* is a trademark of PPG Coatings Nederland B.V.