

HAKUA BUILDING, 4-1, 2-CHOME, AKASAKA, MINATO-KU, TOKYO, JAPAN TEL.03(3585)8131 FAX.03(3588)1830 e-mail:info@djkint.com

DJK Ref. No. C13-045

CERTIFICATION

This report was issued solely for CHUGOKU MARINE PAINTS, LTD Hiroshima, Japan

Effective on October 29, 2013

DJK CORPORATION
Regulatory Science Laboratories



DJK Corporation

DJK Ref. No. C13-045

CERTIFICATION

DJK CORPORATION Regulatory Science Laboratories hereby certifies that the following product covered and manufactured by

CHUGOKU MARINE PAINTS, LTD. 1-7, Meijishinkai, Otake City, Hiroshima 739-0652 Japan

complies with the specification outlined in *Code of Federal Regulations (CFR), Title 21, Food and Drugs, Parts 170 to 199, Listed as of October 29, 2013, § 175.300 Resinous and polymeric coatings.

* Food and Drug Administration, Department of Health and Human Services (USA)

1. Product Covered:

EPICON T-800 QD

2. Type of Product:

Epoxy phenol paint (2 packs)

3. Uses:

C of Table 2 - Hot filled or pasteurized above 150° F with limitation

only to Food Type (III, IV-A and V)

E of Table 2 - Room temperature filled and stored (no thermal

treatment in the container) (I, II, IV-B and VI-B)

4. Type of Food:

I. Nonacid (pH above 5.0), aqueous products;

II. Acidic (pH 5.0 or below), aqueous products

III. Aqueous, acid or nonacid products containing free oil or fat;

IV. Dairy products and modifications:

IV-A. Water-in-oil emulsion, high- or low-fat. IV-B. Oil-in-water emulsion, high- or low-fat.

V. Low moisture fats and oils.

VI. Beverages:

VI-B. Non-alcoholic.

DJK Corporation

DJK Ref.No. C13-045

Analysis Test Performed

As specified in Title 21, Code of Federal Regulations, Food and Drug, Section 175.300

Condition of Use

C of Table 2 - Hot filled or pasteurized above 150° F with limitation

only to Food Type (III, IV-A and V)

E of Table 2 - Room temperature filled and stored (no thermal

treatment in the container) (I, II, IV-B and VI-B)

SolventTimeTemperatureWater24 hours120° FHeptane15 minutes120° F

for net chloroform-solubles extractives and total non soluble extractives

Analysis Test Results

Water extractives (Average) 0.000mg/in² Heptane extractives (Average) 0.000mg/in²

Conclusion

The criterion value is not to exceed 0.01mg/in². The tested sample is within the specification.

DJK CORPORATION Regulatory Science Laboratories hereby certifies that an analysis was made under Code of Federal Regulations (CFR), Title 21, Parts 170 to 199 for CHUGOKU MARINE PAINTS, LTD. for the purpose of determining compliance of the above product under § 175.300, Resinous and polymeric coatings for the safe use of such coatings as an indirect food additive, and that said test result revealed each component to be listed under § 175.300 and other cross-reference sections for use as the food contact surface of articles intended for use under conditions prescribed in § 175.300.

DJK Corporation

Validity

This Certificate Report will be valid for two (2) years after issuance of the report. Any formulation or components change and improper application will forfeit validity of the Report.

Independent and third party testing and certification laboratories

Director (Certification)

Date: October 29, 2013

Director (Technical)

Date: October 29, 2013

Reference

Code of Federal Regulations (CFR), Title 21, \S 175.300 Resinous and polymeric coatings, Listed as of October 29, 2013.

DJK holds itself harmless for any claims and damages arising from the existence and/or use of this document.